

Choose black bin



to live green!



Our products



Plastic waste bins with 2 wheels

X Urban Series	page
Urban Series	
60 L	14
80 L	15
120 L	16
240 L	17
360 L	18
X Standard Series	
120 L	19
140 L PL	20
240 L	21
X Premium Series	
120 L	22
240 L	23
X H Series	
240 L	24

Containers and bins for bio waste

25



Plastic waste containers with 4 wheels

X Premium Series	
660 L	28
770 L	29
1100 L Flat lid	30
1100 L Round lid	31
X Urban Series	22
1100 L Flat lid NEW	32

page





Litter binsPost mounted bins

 DIN 50 L
 36

 Stilo 30 L
 NEW
 36

Free-standing bins

		page
Stilo 100 L, Stilo 80 L	NEW	37
Stilo Select 4x40 L, Roto 100 L	NEW	38
Selecta		39
Trio 60L, 80 L, 100 L		42
Classic 85 L		43
Waste bin 60 L PRO		44
Pressboy 35 L		45



¶PlastikGogić





Founded in 1974

We started as a family business back in 1974.

Plastik Gogić employs today over 170 people, operates in more than 60 countries and specializes in the field of injection moulding of various plastic products.

The family-run business from the 1970s has developed into a serious organization whose **85% of revenue comes from the export activities.**

The basic principles remain the same: perseverance, flexibility, professional approach and social responsibility.

Plans

Our Mission

Plastik Gogić will continue to develop business by taking care of its employees, environmental protection and strengthening relationship with partners worldwide.

Total area more than 50000 m², production on 15000 m²











What do we produce?

There are four areas in which Plastik Gogić offers its products to the market.

The most important are plastic bins and waste containers, which are delivered to numerous partners around the world.

The company is also present in the field of sports, where we have specialized in the production of multifunctional flooring and stadium chairs

In our product range you can find round vats of different sizes, as well as products for home, professional and industrial use.

Constant growth and development

From year to year, the company achieves exceptional results in terms of growth and development.

Production

Automated production process with state-of-the-art machines up to 5,500 tons of clamping force.

Certificates and awards

Plastik Gogić products are certified with EN 840, GS mark and other technical norms and standards, while management system is organized according to ISO 9001, ISO 14001 and ISO 45001.

We are proud to be awarded numerous prizes to recognize our social responsibility and dedicated work Business Leader Award by Chamber of Commerce and Industry of Serbia, Probusiness Leader for best company in Serbia, October Award of Municipality of Indjija etc.

Ready to go!

Markets worldwide

We proudly announce another outstanding achievement – the company Plastik Gogic managed in 2021 to produce and deliver record-breaking 1.000.000 bins and containers to customers in 60 countries worldwide.

QUALITY

The quality of our products is best confirmed by the quality systems we have applied: ISO 9001, 14001, 45001, while for products from the group of waste disposal containers we have specialized certificates, such as the European standard FN 840.

Quality comes first

The company Plastik Gogić has also formed a laboratory in which the properties of our products are examined and tested.

Experts guarantee safety and longevity, and the growing number of companies we work with is proof that we are on the right track.

Quality Control

Each sample is inspected in detail for strength and durability.



Finished product testing

Testing conducted in accordance to EN 840-5 norm simulate real life.extreme conditions.



Fully automated testing process

Tensile strength, ductility, impact strength and many more parameters are constantly monitored




INNOVATION



Plastic Gogić is fully dedicated to development of new products, distinguished by their operational flexibility and creating new value for end users. In our own R&D department we are driven by the idea to provide our customers with reliable, attractive and user-friendly solutions.

All this is possible with great support from our partners' side – world's leading mould makers and manufacturers of other equipment in the field of injection moulding.



plastic bins solutions

PLASTIC BINS WITH 2 WHEELS by Plastik Gogić include all components necessary for a cleaner and healthier environment in households, large factories and city streets.

Waste bins are made from HDPE (high-density polyethylene), which is ideal for waste disposal. Some superior properties of this exceptional material are: high chemical resistance, 100% recyclability, good impact strength, resistance to temperatures from -30 $^{\circ}$ C up to +80 $^{\circ}$ C, UV protected ...



Waste bin 60 L

X Urban Series





Recycling inserts for waste sorting and gravity lock



Fastening clamps with seal



Colour Clip marking with Braille inscription

TECHNICAL DATA

Volume: 60 L

Dimensions: 445 x 522 x 935 mm Weight: 8.5 KG (± 3%)

Max payload (load capacity):

- * max loading weight 24 KG (±5%)
- * max total weight 50 KG (±5%)

Wheels: 2 rubber wheels Ø200mm

Material: HDPE

Temperature resistant: -30°C to +80°C

CHARACTERISTICS

- Galvanized, corrosion-free steel axle
- Reinforced comb receiver (honey-comb structure)
- Additional reinforcement on walls form of curved surface
- Lip Handle protects the touch point from dirt
- Chip nest








* Other colors on request.





- Gravity lock, triangular lock
- Noise reduction
- Recycling inserts for glass, paper or aluminium
- Marking: hot stamping, hot foil, labeling
- Fastening clamps with or without rubber seal
- Coloured clips for waste identification
- RFID Chip





Waste bin 80 L

X Urban Series





Recycling inserts for waste sorting and gravity lock



Fastening clamps with seal



Plastic foot pedal

TECHNICAL DATA

Volume: 80 L

Dimensions: 445 x 522 x 935 mm Weight: 8.2 KG (8.2 KG with pedal) (+/- 3%) Max payload (load capacity):

- * max loading weight 32 KG (+/-5%)
- * max total weight 50 KG (+/-5%)

Wheels: 2 rubber wheels Ø200mm

Material: HDPE

Temperature resistant: -30°C to +80°C

CHARACTERISTICS

- Galvanized, corrosion-free steel axle
- Reinforced comb receiver (honey-comb structure)
- Additional reinforcement on walls form of curved surface
- Lip Handle protects the touch point from dirt
 - Axle bearing in the stack at the edge of container
 - Chip nest

STANDARD COLORS (apx)











OPTIONS

- Gravity lock, triangular lock


- Noise reduction

- Recycling inserts for glass, paper or aluminium

- Marking: hot stamping, hot foil, labeling

- Fastening clamps with or without rubber seal - Coloured clips for waste identification

- Foot pedal





Waste bin 120 L

X Urban Series





Recycling inserts for waste sorting and gravity lock



Fastening clamps with seal



Colour Clip marking with Braille inscription

TECHNICAL DATA

Volume: 120 L

Dimensions: 480 x 555 x 954 mm Weight: 8.2 KG (± 3%)

Max payload (load capacity):

- * max loading weight 48 KG (±5%)
- * max total weight 60 KG (±5%)
- Wheels: 2 rubber wheels Ø200mm

(optional Ø250mm)

Material: HDPE

Temperature resistant: -30°C to +80°C

CHARACTERISTICS

- Galvanized, corrosion-free steel axle
- Reinforced comb receiver (honey-comb structure)
- Additional reinforcement on walls form of curved surface
- Lip Handle protects the touch point from dirt
- Axle bearing in the stack at the edge of container
- Chip nest

STANDARD COLORS (apx)













- Gravity lock, triangular lock
- Noise reduction
- Recycling inserts for glass, paper or aluminium
- Marking: hot stamping, hot foil, labeling
- Fastening clamps with or without rubber seal
- Coloured clips for waste identification
- Foot pedal
- RFID Chip





Waste bin 240 L

X Urban Series





Recycling inserts for waste sorting and gravity lock



Honey-comb comb receiver



Colour Clip marking with Braille inscription

TECHNICAL DATA

Volume: 240 L

Dimensions: 580 x 740 x 1083 mm Weight: 12.8 KG (± 3%)

Max payload (load capacity):

- * max loading weight 96 KG (±5%)
- * max total weight 110 KG (±5%)

Wheels: 2 rubber wheels Ø200mm

Material: HDPE

Temperature resistant: -30°C to +80°C

CHARACTERISTICS

- Galvanized, corrosion-free steel axle
- Reinforced comb receiver (honey-comb structure)
- Lip Handle protects the touch point from dirt
- Chip nest

STANDARD COLORS (apx)







- Gravity lock, triangular lock
- Noise reduction
- Recycling inserts for glass, paper or aluminium
- Marking: hot stamping, hot foil, labeling
- Fastening clamps with or without rubber seal
- Coloured clips for waste identification
- Foot pedal
- RFID Chip



Waste bin 360 L

X Urban Series





Recycling inserts for waste sorting and gravity lock



Honey-comb comb receiver



Colour Clip marking with Braille inscription

TECHNICAL DATA

Volume: 360 L

Dimensions: 596 x 880 x 1099 mm Weight: 15.4 KG (± 3%)

Max payload (load capacity):

- * max loading weight 144 KG (±5%)
- * max total weight 160 KG (±5%)

Wheels: 2 rubber wheels Ø200mm

(optional Ø250 or Ø300mm)

Material: HDPE

Temperature resistant: -30°C to +80°C

CHARACTERISTICS

- Galvanized, corrosion-free steel axle
- Reinforced comb receiver (honey-comb structure)
- Lip Handle protects the touch point from dirt
- Chip nest

STANDARD COLORS (apx)











- Gravity lock, triangular lock
- Noise reduction
- Recycling inserts for glass, paper or aluminium
- Marking: hot stamping, hot foil, labeling
- Coloured clips for waste identification
- Foot pedal
- RFID Chip





Waste bin 120 L

X | Standard Series





Foot pedal - Handles lid opening



Locking system: Manual lock / Gravity lock *Other options on request



Marking: labels / thermo- transfer / hot- stamping / tool embosing

TECHNICAL DATA

Volume: 120 L

Dimensions: 480 x 554 x 930 mm

Weight: 9 KG (+/- 3%)

Max payload (load capacity):

- * max loading weight 48 KG (+/-5%)
- * max total weight 60 KG (+/-5%)

Material: HDPE

Temperature resistant: -30°C to +80°C Wheels: 2 rubber wheels Ø200

CHARACTERISTICS

- Galvanized, corrosion-free steel axle
- Two-handle lid
- Chip nest


STANDARD COLORS (apx)




* Other colors on request.



- Foot pedal
- Gravity lock, triangular lock
- Marking: hot stamping, hot foil, labeling
- RFID Chip





Waste bin 140 L PL

X | Standard PL Series





Recycling inserts for waste sorting



Foot pedal - Handles lid opening



Locking system: Manual lock / Gravity lock *Other options on request



Marking: labels / thermo- transfer / hot- stamping / tool embosing

TECHNICAL DATA

Volume: 140 L

Dimensions: 480 × 550 × 1060 mm

Weight: 9,6 KG (+/- 3%)

Max payload (load capacity):

*max loading weight 56 KG (+/-5%) *max total weight 70 KG (+/-5%)

Material: HDPE

Temperature resistant: -30°C to +80°C **Wheels:** 2 rubber wheels Ø200

CHARACTERISTICS

- Galvanized, corrosion-free steel axle
- Lip Handle protects the touch point from dirt
- Chip nest

STANDARD COLORS (apx)













- Foot pedal
- Gravity lock, triangular lock
- Marking: hot stamping, hot foil, labeling
- Noise reduction
- Colored clips for waste identification
- Recycling inserts
- RFID Chip





Waste bin 240 L

X | Standard Series





Foot pedal - Handles lid opening



Locking system: Manual lock / Gravity lock *Other options on request



Marking: labels / thermo- transfer / hot- stamping / tool embosing

TECHNICAL DATA

Volume: 240 L

Dimensions: 580 x 740 x 1070 mm

Weight: 12,60 KG (+/- 3%)
Max payload (load capacity):

* max loading weight 96 KG (+/-5%)

* max total weight 110 KG (+/-5%)

Material: HDPE

Temperature resistant: -30°C to +80°C Wheels: 2 rubber wheels Ø200

CHARACTERISTICS

- Galvanized, corrosion-free steel axle
- Chip nest
- Two-handle lid


STANDARD COLORS (apx)




* Other colors on request.



- Foot pedal
- Gravity lock, triangular lock
- Marking: hot stamping, hot foil, labeling
- RFID Chip





Waste bin 120 L

X | Premium Series





Recycling inserts for waste sorting



Foot pedal - Handles lid opening



Locking system: Manual lock / Gravity lock *Other options on request



Marking: labels / thermo- transfer / hot-stamping / tool embosing

TECHNICAL DATA

Volume: 120 L

Dimensions: 480 x 550 x 964 mm Weight: 9,1 KG (+/- 3%)

Max payload (load capacity):

* max loading weight 48 KG (+/-5%) * max total weight 60 KG (+/-5%)

Material: HDPE

- Recycling inserts - RFID Chip

Wheels: 2 rubber wheels Ø200

CHARACTERISTICS

- Galvanized, corrosion-free steel axle
- Additional reinforcement on walls form of curved surface
- Reinforced comb receiver (honey-comb structure)
- Lip Handle protects the touch point from dirt
- Axle bearing in the stack edge of bin
- Foot board
- Chip nest












- Foot pedal - Triangular lock - Marking: hot stamping, hot foil, labeling - Noise reduction - Colored clips for waste identification



Waste bin 240 L

X | Premium Series





Recycling inserts for waste sorting



Foot pedal - Handles lid opening



Locking system: Manual lock / Gravity lock *Other options on request



Marking: labels / thermo- transfer / hot-stamping / tool embosing

TECHNICAL DATA

Volume: 240 L

Dimensions: 578 x 734 x 1080 mm Weight: 12,80 KG (+/- 3%)

Max payload (load capacity): * max loading weight 96 KG (+/-5%)

* max total weight 110 KG (+/-5%)

Material: HDPE

Wheels: 2 rubber wheels @200 (optional @250)

CHARACTERISTICS

- Galvanized, corrosion-free steel axle
- Additional reinforcement on walls form of curved surface
- Reinforced comb receiver (honey-comb structure)
- Lip Handle protects the touch point from dirt
- Foot board

- Chip nest

STANDARD COLORS (apx)









OPTIONS - Foot pedal - Gravity lock, triangular lock - Lip - Handle cover - Marking; hot stamping, hot foil, labeling - Noise reduction - Colored clips for waste identification - Recycling inserts - RFID Chip



Waste bin 240 L H

X | H Series





Recycling inserts for waste sorting



Foot pedal - Handles lid opening



Locking system: Manual lock / Gravity lock *Other options on request



Marking: labels / thermo- transfer / hot-stamping / tool embosing

TECHNICAL DATA

Volume: 240 L

Dimensions: 585 x740 x 1070 mm Weight: 12,80 KG (+/- 3%)

Max payload (load capacity):

* max loading weight 96 KG (+/-5%) * max total weight 110 KG (+/-5%)

Material: HDPE

Temperature resistant: -30°C to +80°C Wheels: 2 rubber wheels Ø200

CHARACTERISTICS

- Galvanized, corrosion-free steel axle
- Additional reinforcement on walls form of curved surface
- Reinforced comb receiver (honey-comb structure)
- Two handle lid
- Additional handle on the front wall
- Chip nest

STANDARD COLORS (apx)





* Other colors on request.







OPTIONS

- Foot pedal

- Gravity lock, triangular lock

- Marking: hot stamping, hot foil, labeling





Containers and bins for bio waste

Organic bio waste originates from plant or animal sources and is predominatly stored in bio waste containers. During the process of transformation into compost the exsisting juices evaporate, which lead to lower weight and volume of the organic waste.



TECHNICAL DATA Waste bin with 2 wheels

Volume: 120lt, 140lt, 240lt Material: HDPE

Color: brown

TECHNICAL DATA Waste container with 4 wheels

Volume: 660lt. 770lt. 1100lt

Material: HDPE

FOLDABLE GRID FOR BIN

Made of plastic, without metal parts, attached to the body with 2 plastic hinges.

Color: brown

It separates the bio waste in 2 sections- the fluids drop down, while the dry content is kept above.

THE GRID IS HINGED ON AN AXLE SO THAT IT CAN BE LIFTED INTO A VERTICAL POSITION THUS:

Facilitating the collection process

Allowing washing of the bin bottom.





LATERAL HOLES

Enable air circulation for easier drying and reduction of uppleasant odours

- Optimal air circulation from the bottom to the top, maintaining an adequate oxygen level
- * Reduce gases, and thus the bad odours
- * Creates a favourable composing environment
- * Options: lid distance rubber cushion for additional ventilation

THE BIOFILTER LID "System Biologic TM"



Our 2-wheel bins from 60 to 240L can be upgraded with the Bio Filter lid. The filter contains active micro-organisms which degrade bad smell and initiate composting.

Note: The Bio Filter should only be mounted on bins without lateral holes.





plastic bins solutions

Plastic containers with 4 wheels

Plastic waste containers are made of high density polyethylene according to the European standard EN-840, environmentally friendly production, resistant to temperature, chemicals and UV radiation. Containers are recyclable.

Plastic container 660 L

with flat lid







Recycling inserts for waste sorting



Foot pedal - Handless lid opening



Locking system: Manual lock / Gravity lock *Other options on request



Marking: labels / thermo- transfer / hot-stamping / tool embosing

TECHNICAL DATA

Volume: 660 L

Dimensions: 1370 x 778 x 1228 mm

Weight: 38 KG (+/- 3%) Max payload (load capacity):

* max loading weight 264 KG

* max total weight 310 KG

Material: HDPE Temperature resistant: -30°C to +80°C Wheels: 4 rubber wheels Ø200

CHARACTERISTICS

- Galvanized, corrosion-free metal parts
- Reinforced comb receiver (Honey-comb structure)
 - Additional reinforcement on walls form of curved surface
 - Lip Handle protects the touch point from dirt
 - Plug at the bottom
 - Chip nest

STANDARD COLORS (apx)

- - * Other colors on request.





- Side receivers; side handles - Gravity lock; triangular lock
- Foot pedal
- Recycling inserts for glass and packaging
- Marking: hot stamping, hot foil, labeling
- RFID Chip





Plastic container 770 L

with flat lid

X | Premium Series





Recycling inserts for waste sorting



Foot pedal - Handless lid opening



Locking system: Manual lock / Gravity lock *Other options on request



Marking: labels / thermo- transfer / hot-stamping / tool embosing

TECHNICAL DATA

Volume: 770 L

Dimensions: 1370 x 778 x 1365 mm Weight: around 40 KG (+/- 5%)

Max payload (load capacity):

* max loading weight 308 KG * max total weight 360 KG

Material: HDPE

Temperature resistant: -30°C to +80°C Wheels: 4 rubber wheels Ø200

CHARACTERISTICS

- Galvanized, corrosion-free metal parts
- Reinforced comb receiver (Honey-comb structure)
- Additional reinforcement on walls form of curved surface
- Lip Handle protects the touch point from dirt
- Plug at the bottom
- Chip nest

STANDARD COLORS (apx)

- * Other colors on request.



- Side receivers: side handles
- Gravity lock; triangular lock
- Foot pedal
- Recycling inserts for glass and packaging
- Marking; hot stamping, hot foil, labeling
- RFID Chip



Plastic container 1100 L

with flat lid

X | Premium Series





Recycling inserts for waste sorting



Foot pedal - Handless lid opening





Locking system: Manual lock / Gravity lock

Marking: labels thermo - transfer / hot *Other options on request stamping / tool embosing





Hood "hood" in the lid

Lid in Lid For easier handling of smaller waste - option "lid in the lid"

TECHNICAL DATA

Volume: 1100 L

Dimensions: 1370 x 1070 x 1344 mm

Weight: 46 KG (+/- 3%) Max payload (load capacity):

- * max loading weight 440 KG
- * max total weight 510 KG

Material: HDPE Temperature resistant: -30°C to +80°C Wheels: 4 rubber wheels Ø200

CHARACTERISTICS

- Galvanized, corrosion-free metal parts
- Reinforced comb receiver (Honey-comb structure)
- Additional reinforcement on walls form of curved surface
- Lip Handle protects the touch point from dirt
- Plug at the bottom
- Chip nest

STANDARD COLORS (apx)








1070

OPTIONS

- Side receivers; side handles - Gravity lock; triangular lock - Foot pedal - Recycling inserts for glass and packaging

- Lid in Lid

- Marking: hot stamping, hot foil, labeling





Plastic container 1100 L

with round lid







Recycling inserts for waste sorting



Foot pedal - Handless lid opening





Locking system: Manual lock / Gravity lock

Marking: labels thermo - transfer / hot *Other options on request stamping / tool embosing





Hood "hood" in the lid

Lid in Lid For easier handling of smaller waste - option "lid in the lid"

TECHNICAL DATA

Volume: 1100 L

Dimensions: 1370 x 1070 x 1461 mm Weight: 54 KG (+/- 3%)

Max payload (load capacity):

- * max loading weight 440 KG
- * max total weight 510 KG

Material: HDPE Temperature resistant: -30°C to +80°C Wheels: 4 rubber wheels Ø200

CHARACTERISTICS

- Galvanized, corrosion-free metal parts
- Reinforced comb receiver (Honey-comb structure)
- Additional reinforcement on walls form of curved surface
- Plug at the bottom
- Chip nest

STANDARD COLORS (apx)



* Other colors on request.



OPTIONS

- Side receivers; side handles - Triangular lock - Foot pedal - Recycling inserts for glass and packaging - Lid in Lid - Marking: hot stamping, hot foil, labeling
- 1270





Plastic container 1100 L NEW

with flat lid

X Urban Series





Hood and Gravity Lock



Foot Pedal



Lid in Lid

TECHNICAL DATA

Volume: 1100 L

Dimensions: 1370 × 1074 × 1355 mm Weight: 46 KG (+/- 3%)

Max payload (load capacity):

- * max loading weight 440 KG
- * max total weight 510 KG
- Material: HDPE

Temperature resistant: -30°C to +80°C Wheels: 4 rubber wheels Ø200

CHARACTERISTICS

- Galvanized, corrosion-free metal parts
- Reinforced comb receiver (Honey-comb structure)
- Additional reinforcement on walls form of curved surface
- Lip Handle protects the touch point from dirt
- Plug at the bottom
- Chip nest

- STANDARD COLORS (apx)
- - * Other colors on request.





OPTIONS

- Side receivers; side handles

- Gravity lock; triangular lock

- Foot pedal

- Recycling inserts for glass and packaging

- Marking: hot stamping, hot foil, labeling









Free-standing bins

New Stilo line of metal litter bins with aesthetics guided by function. Galvanized steel throughout with powder coated finish guarantee strength, durability and functionality. Hinged door for ease of emptying. Integrated ashtray. Removable, strong and durable HDPE insert.

DIN 50 L





Markina:

labels / thermo- transfer / hot- stamping



Locking system: Manual lock *Other options on request

TECHNICAL DATA

Volume: 50 L

Dimensions: 430 x 340 x 740 mm

Weight: 4 KG (+/- 5%)

Material: HDPE

Temperature resistant: -30°C to +80°C

Marking

Hot stamping

Stainless steel pole on which can be

mounted one or two bins

Colors: green, orange, dark grey, light grey

Stilo 30 L






NEW

TECHNICAL DATA

VOLUME: 30 L

DIMENSIONS:

Height: 690 mm, Width: 320 mm, Depth: 280 mm





OPTIONS:

Choice of colours . Doors with wooden inserts

Stilo 100 L NEW









TECHNICAL DATA

VOLUME: DIMENSIONS:

100 L Height: 1305 mm, Width: 500 mm, Depth: 480 mm


OPTIONS:

Choice of colours • Doors with wooden inserts

Stilo 80 L NEW







TECHNICAL DATA

VOLUME:

DIMENSIONS:

80 L

Height: 1180 mm, Width: 500 mm, Depth: 480 mm

OPTIONS:

Choice of colours . Doors with wooden inserts

Stilo select NEW



TECHNICAL DATA

VOLUME:

4 x 40 L

DIMENSIONS:

Heiht: 1142mm, Width: 1378mm, Depth: 380mm

OPTIONS:

Choice of colours





Roto 100 NEW









TECHNICAL DATA

VOLUME:

100 L

Dimensions: 566 x 556 x 1193 mm

FEATURES

Made of high quality LDPE,
Resistant to aggressive materials
and extreme weather conditions,
Hinged door with inner HDPE liner,

OPTIONS

Locking mechanism,

Marking by labeling, hot stamping
or thermo-transfer technology,
Integrated ashtray.

Selecta

recycling set



TECHNICAL DATA

Volume: 4 x 40 L

Dimensions: 1388 x 368 x 813

Weight: 26 KG (± 5%)

Set with 4 independent recycling apertures

Made of high quality LDPE

OPTIONS

- Locking mechanism
- Marking by labeling, hot stamping or thermo-transfer technology

Resistant to aggressive materials and extreme weather conditions

- Tailor-made engraved or printed decorative plates

FEATURES

- Compact recycling set with 4 fractions made of LDPE
- Emptying door with 4 recycling inserts on top surface
- Open apertures in different colors and shapes to facilitate waste disposal
- Large front wall surface suitable for placing decorative plates and promotional messages
 - 1388





Waste bin Trio



TECHNICAL DATA

Volume: 60 L

Dimensions: 500 x 650 mm Weight: approx. 4,0 kg (+/-3%)

Material: HDPE

TECHNICAL DATA

Volume: 80 L

Dimensions: 500 x 820 mm Weight: approx. 5,00 kg (+/-3%)

Material: HDPE

TECHNICAL DATA

Volume: **100 L**

Dimensions: 500 x 950 mm Weight: approx. 6,00 kg (+/-3%)

Material: HDPE

OPTIONS:

Marking

Colors: black, green








Classic bin 85 L





Solid / HDPI



Lid with handle

TECHNICAL DATA

Volume: 85 lt

Dimensions: 560 x 520 x 710 mm

Weight: approx. 5,8 KG (+/-3%)

Material: HDPE, UV-stabilized,

resistant to high and low temperatures

Body of bin in form of a roll

Lid with handle

Temperature resistant: from -30°C to +80°C

Marking: Labels Colors: black





* Other colors on request.




Waste bin 60 L PRO

X | Urban Series





Recycling inserts



Pedal



Colour Clip marking with Braille inscription

TECHNICAL DATA

Volume: 60 L

Dimensions: 445 x 522 x 690 mm

Weight: 5,20 KG (+/- 3%)

Max payload (load capacity):

*max loading weight 24 KG (+/-2%) *max total weight 50 KG (+/-5%)

Material: HDPE

Temperature resistant: -30° C to $+80^{\circ}$ C

CHARACTERISTICS

- Reinforced comb receiver (honey-comb structure)
- Additional reinforcement on walls form of curved surface
- Lip Handle protects the touch point from dirt
- Chip nest

STANDARD COLORS (apx)






* Other colors on request.



OPTIONS

- Triangular lock
- Noise reduction
- Recycling inserts for glass, paper or aluminium
- Marking: hot stamping, hot foil, labeling
- Fastening clamps with or without rubber seal
- Coloured clips for waste identification
- Foot pedal
- RFID Chip





Pressboy



VIDEO PRESSBOY™ instruction manual



TECHNICAL DATA

Volume: 35 L

Dimensions: 325 x 245 x 485 mm

Waste bin with integrated pressing device

Reduces garbage: makes out of 3 only 1 garbage bag.with special PRESSBOY" bags with tying tape and scent of vanilla – biodegradable Small box for collection of garbage in the kitchen, bathroom,

WC, in the house, in the bureau

For waste such as plastic, paper, organic, refuse waste

EASY TO USE

Draw out integrated pressing stamp.
Press the waste collection in the bin.
Put the pressing stamp back.
Ready















¶PlastikGogić

MNG Plastik Gogić doo Indjija 22320 Indjija, Kralja Petra I 227, SERBIA +381 (22) 561-674 ; 555-306

> office@plastikgogic.rs www.plastikgogic.rs

